## बिहार सरकार विज्ञान एवं प्रावैधिकी विमाग

/पटना, दिनांक

पत्र सं0- वि॰प्रा॰ (III) यो॰-14/2016-

सेवा में,

महालेखाकार (ले० एवं हक०), बिहार वीरचन्द पटेल मार्ग, पटना

विषय— विभागान्तर्गत ब्रजिकशोर नारायण सिंह राजकीय पोलिटेकिनक, गोपालगंज में नविनिर्मित दो अदद बालक एवं एक अदद बालिका छात्रावास (प्रति 100 शय्या) के लिए अतिरिक्त आवश्यक उपस्कर के क्रय एवं अधिष्ठापन हेतु रू. 61,47,000=00 (इकसठ लाख सैंतालीस हजार रूपये) मात्र की प्रशासिनक स्वीकृति तथा वित्तीय वर्ष 2017—18 में उक्त राशि संस्थान को विमुक्त करने के संबंध में।

आदेश— स्वीकृत।

राज्य सरकार ने प्राचार्य, ब्रजिकशोर नारायण सिंह राजकीय पोलिटेकिनक, गोपालगंज के पत्रांक—42, दिनांक 14.12.2017 के द्वारा की गई मांग के आधार पर संस्थान में नविनर्मित दो अदद बालक एवं एक अदद बालिका छात्रावास (प्रति 100 शय्या) के लिए संलग्न मानक एवं विवरणी के अनुसार अतिरिक्त आवश्यक उपस्कर के क्रय एवं अधिष्ठापन हेतु रू. 61,47,000=00 (इकसठ लाख सैंतालीस हजार रूपये) मात्र की प्रशासिनक स्वीकृति एवं वित्तीय वर्ष 2017—18 में उक्त राशि संस्थान को विमुक्त करने की स्वीकृति प्रदान की है।

- 2. उक्त स्वीकृत राशि, वित्तीय वर्ष 2017–18 में राज्य स्कीम बजट के "मुख्यशीर्ष–4202 –शिक्षा, खेलकूद, कला तथा संस्कृति पर पूँजीगत परिव्यय, उप मुख्यशीर्ष –02–तकनीकी शिक्षा, लघुशीर्ष–104–बहुशिल्प, मांग संख्या–43, उपशीर्ष–0102– पोलिटेकनिक/इंजीनियरिंग/तकनीकी महाविद्यालय' के अधीन 52 02 मशीनें एवं उपस्कर–अन्य विषयशीर्ष में उपबंधित राशि से विकलनीय होगा, जिसका विपत्र कोड 43–4202021040102 है।
- इस राशि के निकासी एवं व्ययन पदाधिकारी संस्थान के प्राचार्य होंगे।
- 4. इस राशि की निकासी राजकीय कोषागार, गोपालगंज से की जायेगी।
- 5. उक्त राशि से सामग्रियों के क्रय हेतु बिहार (वित्त) संशोधित नियमावली—2005 का अक्षरशः अनुपालन किया जायेगा तथा सभी प्रक्रियाओं का विधिवत पालन कर क्रय किया जायेगा।
- 6. उक्त स्वीकृत राशि से नियमानुसार क्रय की जाने वाली उपस्कर की गुणवत्ता के लिए संस्थान के प्राचार्य सीधे जिम्मेवार होगें तथा क्रय की गई उपकरण एवं उपस्कर की सूची सहित उसके अधिष्ठापन संबंधी प्रतिवेदन वर्त्तमान वित्तीय वर्ष के अन्तर्गत उपलब्ध कराना सुनिश्चित करेगें। किसी भी परिस्थिति में अनावश्यक एवं आवश्यकता से अधिक सामग्री की खरीदारी नहीं की जाएगी।
- 7. उक्त स्वीकृत राशि की निकासी, वित्तीय वर्ष 2017–18 में विभाग के लिए संसूचित योजना उद्व्यय एवं बजट उपबंध के अधीन निर्गत आवंटन तक सीमित रहेगा।
- 8. यह आदेश वित्त विभाग के संकल्प संख्या— 3758 वि., दिनांक 31.05.2017 के आलोक में सक्षम स्वीकृति प्राधिकार के अनुमोदनोपरांत आन्तरिक वित्तीय सलाहकार की सहमति से निर्गत किया जाता है।
- 9. वित्त विभाग के पत्रांक— 7355 वि(2), दिनांक 05.10.2007 के अनुसार इस योजना के लिए प्राधिकार पत्र की आवश्यकता नहीं है।

बिहार राज्यपाल के आदेश से

ह。/ -

(मिर्जा आरिफ रजा) सरकार के उप सचिव

ज्ञाप संख्या— वि₀प्रा₀ (III) यो₀—14/2016— /पटना, दिनांक— प्रतिलिपिः— विवरणी सहित महालेखाकार (लेखा परीक्षा), बिहार, पटना/योजना एवं विकास विभाग/वित्त विभाग, बिहार, पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

ह./ – सरकार के उप सचिव ज्ञाप संख्या– वि.प्रा. (III) यो.–14/2016–

/पटना, दिनांक-

प्रतिलिपि:— विवरणी सहित कोषागार पदाधिकारी, राजकीय कोषागार, गोपालगंज को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

ह. / – सरकार के उप सचिव

ज्ञाप संख्या– वि•प्रा• (III) यो•–14/2016–

/पटना, दिनांक-

प्रतिलिपि:— विवरणी सहित प्राचार्य, ब्रजिकशोर नारायण सिंह राजकीय पोलिटेकनिक, गोपालगंज को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

ह./ – सरकार के उप सचिव

ज्ञाप संख्या— वि。प्रा。 (III) यो。—14/2016— /पटना, दिनांक— |

/पटना, दिनांक- 11-1-201 क्ट

प्रतिलिपि:— विवरणी सहित माननीय विभागीय मंत्री के आप्त सचिव / उप निदेशक (यो) / बजट सहायक / आई.टी. मैनेज्र (E-mail एवं विभागीय बेवसाइट पर अपलोड हेतु), विज्ञान एवं प्रावैधिकी विभाग, बिहार, पटना को सूचनार्थ एवं आवश्यक कार्रवाई हेतु प्रेषित।

सरकार के उप सिचक - ) . )

बजिक्शोर नरायण सिंह राजकीय पोलिटेकनिक, गोपालगंज में नवनिर्मित दो बालक एवं एक बालिका छात्रावास (प्रति 100 बेड) में छात्र/छात्राओं के आवासन हेतु अतिरिक्त आवश्यक उपरकर, कलर टीवी, कूलर/Aquaguard एवं खेल सामग्रियों के क्रय एवं अधिष्ठापन के लिए वितीय वर्ष 2017—18 में स्वीकृत राशि की विवरणी

			assembled over the tubular frame.			
			indoor grade UV resistance (Refer Colour chart in product catalog)  *Seat Size: 52.5cm (W) x 53.2cm (D)  *Back Size: 51.6cm (V) x 40.5cm (H)  \$5.5. Understructure: The tubular welded frame is made from Dia 2.22 ± 0.03 cm x 0.12 ± 0.0128 cm and 3.5 ± 0.03 cm x 1.5 ± 0.03		0/3	
449.760.00	120	3748		S Godrej	Dining Chair Unwind SS	4
637,980.00	30	21266	Top: The top is in Stainless Steel brushed finish with PLB insert for durability. Easy to clean and maintain hygiene. Understructure: Side Frame Made from 30mm x 30mm x 1.5mm thick M.S Powder coated tubes at base which are welded and are fixed to top with screws. The bottom ends are closed with Plastic buffers. MS Shade: S/G Mettalic Dark Grey (Nerocoat - 9000626)  Cross Member Made from 30mm x 30mm x 1.5mm thick M.S Powder coated tube, which is welded and bolted to side frames.	Godrej	Dining Table Relish 1200W x 750D (for 4 Students)	ω
996,500.00	250	3986	Seat Back: Seat back is made of blow molded High-density polyethylene and is fixed on the understructure assembly with the help of Stainless steel pop rivets.  Seat: Seat is made of blow molded High-density polyethylene and is fixed on the understructure assembly. Understructure: All side metal frames and cross connectors are made from Mild steel LRW tubes, 40 x 20 x 02mm Thk (approx. 14 SWG) as per IS:7 138 which are welded together. The Welded structures and cross connectors are coated with min 45 micron thickness of epoxy polyester coating.  Bag storage tray made of A:4 Mild steel rod (as per IS:432) forms a cage at the bottom and is welded to the main understructure. Seat support channel made of A:4 Mild steel sheet (as per IS:513) is welded to the understructure for fixing seat.  Plastic Caps made of Polypropylene are provided on the foot rest side tubes and back leg tubes adding more aesthetic value to the product.  Seat Size: 426W x 420D x 460H mm  Back Rest Size: 473W x 311H & Back Rest Angle: 100*	Godre	Study Chair Discover Chair Size 6	2
			COCITED Study time or over in size, book a sour and according to pranel: Wooden top panel is made from 18mm thk Pre-laminated twin hoard with polypropylene injection molded edges. The panels have corners rounded for safety usage. The design of desk-top is such that there is provision for pen/pencil storage also, panels have corners rounded for safety usage. The design of desk-top is such that there is provision for pen/pencil storage also, understructure: All side metal frames and cross connectors are made for mid thk (approx. 14 SWG) as per 15:11 the which are welded together. The Welded structures and cross connectors are coated with min 45 micron thickness of epocy polyester coating.  Shell tray and desktop mounting brackets made of 2mm thk Mild steel sheet (as per 15:513) are welded to the understructure for fixing shell tray and desktop respectively.  Hooks are provided on the vertical side frames on both sides of the desk for hanging bags/bottles. They are made from Æ9 Mild steel rod (As per 15:432) and are welded to the main understructure.  Plastic Caps made of Polypropylene are provided on the foot rest side tubes and front legitubes adding more aesthetic value to the product.	Godfe	Str Dsk Size 6	
936.000.00	0.00	incl. all Tax	Study Table of Coas all Star 6000M v 5000 v 760H non		Study Table Please	-0.7
Amt (in Rs)	Qty	Rate/Unit	Specification	Make	Item/image	S No

		_	_	, ,			_	2	
		13	12	11	10	ی	0	0	
		Kitchen Utensils	News Paper Stand	Indoor Games	Furniture for Hostel Supritendent	LED TV 56"	Kent RO (80 lph)	weingerator - 343 Ltr	Common Room Chair - Perch
						Brande d		Godrej	
					LUM SUM			Godrej Frost-Free Refrigerator with 3 Star Rating of Minimum Gross Storage Capacity 343 Ltr & Minimum Net Storage Capacity 318 Ltr having Voltage range of 140V ~ 260V at 40° Celsius, Power Source 230AC, Rated Voltage - 230V, Current - 0.6A, Frequency - 50Hz, Rated Power Consumption - 342 KWH, Method of Defrosting - Auto, Heat Insulation Type/Class - Class 1, Refrigerant Gas - R600a, Compressor Details - Reciprocating and Motor Details - AC Motor.	Overall Size of 3 Str Lounge Seating: 180W* x 68D x 78H# (cm) Height (H): 78# (+ 2 cm**). Individual Seat Width: 54 cm. Seat Height: 41 cm (Perfo Seat) (+2 cm**). Seat Back inclusive angle: 105*. Cross Beam: It is made of black powder-coated rectangular M.S. ERW tube having 80x40x2mm size. Beam with 2 nos. M10 x 100 mm bolts. Beam with 2 nos. M10 x 100 mm bolts. Chrome plated solid steel 30 x 12 mm (DIN174) with fluting and plastic inserts. The Shell is assembled to the Cross Bear of M8 Bolts (Per Seat - 8 nos. Seat to Bracket and 4  *Width considering Armrest out to out, Add 4 cm for overall width with Glides out to out.  ## a) All dimensions are in cm unless specified.  b) Component Tolerances = +/-0.5 cm and +/- 1 degrees
सरकार विज्ञान एव बि	200000 Total OR	30000	118000	100000	120000	192000		45100	28633
रकार बीस्य मन्दर १. ) व		ω	J	ω	u	υ		ω	24
सरकार बहुए सचिव ( ) विज्ञान एवं प्रविधिको विभीग विहार, पटना	600,000.00 6,146,732.00 61,47,000.00	90.000.00		300,000.00	384,000.00	576,000.00		135,300.00	687,192.00